

Hair Styling Pomade

Contains REACT-NTI products (highlighted in red)

Formulary

Ingredients	% Wt.
Phase A	
Deionized water	55.80
Liponic EG-1 (Lipo Chemicals) (glycereth-26)	1.50
Uniphen P-23 (Lipo Induchem) (phenoxyethanol (and) methylparaben (and) ethylparaben (and) propylparaben (and) butylparaben)	0.50
Phase B	
Luviskol K 90, 20% (BASF) (PVP)	1.00
Pure-Thix M (Lipo Sud Chemie) (PEG-180/Laureth-50/TMMG copolymer)	2.00
Phase C	
EnviroPure 301 (React-NTI)	30.00
Liponate TDTM (Lipo Chemicals) (tridecyl trimellitate)	1.50
Liponate NEB (Lipo Chemicals) (C12-15 alkyl benzoate)	2.00
Panalane L-14E (Lipo Amoco) (hydrogenated polyisobutene)	1.50
Lipocol S-20 (Lipo Chemicals) (steareth-20)	4.00
Phase D	
Fragrance #44954M (Shaw Mudge & Co.)	0.10
Timiron Splendid Red (Rona) (mica (and) titanium dioxide)	0.10
Phase E	
D&C Green #5	q.s.
Procedure	
1.	Mix Phase A ingredients and heat to 75-80°C.
2.	Using medium/high shear propeller, mix Phase B ingredients to main batch. Mix until clear.
3.	Pre-mix Phase C and heat to 75°C.
4.	Add slowly to main batch using medium shear. Allow to cool.
5.	At 65-70°C, add Phase D and Phase E.
6.	Mix at medium shear.
7.	Pour into container and allow to cool and thicken.



REACT-NTI, LLC

6680 North Highway 49, Lino Lakes, MN 55014

Phone: (651) 217-2138 Fax: (651) 784-2902

www.react-nti.com

Note: The statements made herein are based on our research and the research of others, and are believed to be accurate. No guarantee of their accuracy is made, however, and the products discussed are sold without warranty, expressed or implied, including warranty of merchantability and fitness for use of this material, and upon condition that purchasers shall make their own tests to determine the suitability of such products for the particular purposes. The user assumes all risk of use or handling, whether or not in accordance with any statements of the supplier. Supplier's liability, if any, for any action arising out of the material being supplied shall be limited to replacement of material. Statements concerning the possible use of these products are not intended as recommendations to use these products in infringement of any patent.