

Soft Solid Antiperspirant

Contains REACT-NTI products (highlighted in red)

Formulary

Ingredients	% Wt.
<i>Phase A</i>	
Performacol 425 Alcohol (New Phase) (C ₂₀₋₄₀ alcohols)	4.00
Permalene 400 Polyethylene (New Phase) (polyethylene)	1.00
SF1202 (General Electric) (cyclopentasiloxane)	55.00
EnviroPure 310 (React-NTI)	3.00
Farona I-III (React-NTI)	2.00
SF96-100 (General Electric) (dimethicone)	10.00
<i>Phase B</i>	
Reach AZP-908 (Reheis) (aluminum zirconium tetrachlorohydrate GLY)	25.00
<i>Procedure</i>	
1.	Heat Phase A to 92-95°C. Mix until dispersed and uniform, covering to retain cyclopentasiloxane.
2.	Maintain temperature while adding Phase B with high shear mixing.
3.	After fully dispersed, remove from heat and fill components.



REACT-NTI, LLC

6680 North Highway 49, Lino Lakes, MN 55014

Phone: (651) 217-2138 Fax: (651) 784-2902

www.react-nti.com

Note: The statements made herein are based on our research and the research of others, and are believed to be accurate. No guarantee of their accuracy is made, however, and the products discussed are sold without warranty, expressed or implied, including warranty of merchantability and fitness for use of this material, and upon condition that purchasers shall make their own tests to determine the suitability of such products for the particular purposes. The user assumes all risk of use or handling, whether or not in accordance with any statements of the supplier. Supplier's liability, if any, for any action arising out of the material being supplied shall be limited to replacement of material. Statements concerning the possible use of these products are not intended as recommendations to use these products in infringement of any patent.